

**Table 9.8a**  
**Adjusted Graft Survival, Deceased Donor Liver Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	11,458	91.2%	0.3%	11,458	84.3%	0.3%	32,307	68.3%	0.3%	53,673	53.7%	0.3%
<b>Age at Tx</b>												
<1 Year	228	84.9%	2.6%	228	80.8%	2.9%	699	77.1%	1.8%	1,286	67.5%	1.7%
1-5 Years	293	91.3%	1.7%	293	88.1%	2.0%	872	75.1%	1.7%	1,554	70.7%	1.4%
6-11 Years	148	91.9%	2.2%	148	89.9%	2.5%	441	78.5%	2.3%	837	71.4%	2.0%
12-17 Years	194	92.8%	1.9%	194	88.7%	2.3%	590	78.0%	2.0%	1,088	59.6%	2.4%
18-34 Years	640	90.5%	1.2%	640	85.6%	1.4%	1,828	67.7%	1.4%	3,242	56.0%	1.2%
35-49 Years	2,471	92.4%	0.5%	2,471	85.3%	0.7%	8,156	69.9%	0.6%	15,769	54.9%	0.6%
50-64 Years	6,362	91.0%	0.4%	6,362	83.8%	0.5%	16,753	67.4%	0.5%	25,420	52.6%	0.5%
65+ Years	1,122	90.6%	0.9%	1,122	82.0%	1.1%	2,968	61.5%	1.2%	4,477	41.1%	1.3%
<b>Recipient Ethnicity/Race</b>												
White	8,109	91.1%	0.3%	8,109	84.1%	0.4%	23,190	68.8%	0.4%	39,230	54.0%	0.4%
African American	1,138	90.6%	0.9%	1,138	82.9%	1.1%	3,121	60.0%	1.2%	4,997	45.4%	1.2%
Hispanic/Latino	1,544	91.9%	0.7%	1,544	85.4%	0.9%	4,184	70.3%	0.9%	6,668	55.9%	1.0%
Asian	563	92.2%	1.1%	563	88.1%	1.4%	1,533	73.7%	1.4%	2,361	63.1%	1.4%
Other/Multi-race	104	90.3%	2.9%	104	81.6%	3.8%	279	63.6%	3.6%	417	49.2%	4.6%
<b>Recipient Gender</b>												
Female	3,856	90.1%	0.5%	3,856	83.6%	0.6%	10,959	68.9%	0.5%	19,279	54.4%	0.5%
Male	7,602	91.8%	0.3%	7,602	84.7%	0.4%	21,348	68.0%	0.4%	34,394	53.2%	0.4%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 9.8a (Continued)**  
**Adjusted Graft Survival, Deceased Donor Liver Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	11,458	91.2%	0.3%	11,458	84.3%	0.3%	32,307	68.3%	0.3%	53,673	53.7%	0.3%
<b>Primary Diagnosis</b>												
Non-Cholestatic Cirrhosis	6,640	92.1%	0.3%	6,640	84.6%	0.5%	19,258	68.1%	0.4%	32,968	51.9%	0.4%
Cholestatic Liver Disease/Cirrhosis	1,033	91.2%	0.9%	1,033	87.0%	1.1%	2,947	75.4%	0.9%	5,479	61.1%	1.0%
Acute Hepatic Necrosis	691	87.0%	1.3%	691	81.9%	1.5%	2,228	65.5%	1.2%	4,087	51.7%	1.2%
Biliary Atresia	318	89.4%	2.1%	318	86.8%	2.4%	1,010	77.3%	1.9%	1,911	69.3%	1.6%
Metabolic Diseases	350	85.9%	1.9%	350	82.6%	2.1%	1,018	73.5%	1.7%	1,784	64.3%	1.7%
Malignant Neoplasms	1,593	92.9%	0.6%	1,593	85.7%	0.9%	3,391	63.5%	1.2%	3,905	45.9%	2.1%
Other	833	86.8%	1.2%	833	78.4%	1.5%	2,455	64.0%	1.2%	3,539	52.7%	1.5%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 9.8a (Continued)**  
**Adjusted Graft Survival, Deceased Donor Liver Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	11,458	91.2%	0.3%	11,458	84.3%	0.3%	32,307	68.3%	0.3%	53,673	53.7%	0.3%
<b>Transplant Center State</b>												
Alabama	173	94.3%	1.7%	173	90.9%	2.2%	478	73.7%	2.7%	931	61.8%	2.3%
Arkansas	51	96.2%	2.6%	51	96.2%	2.6%	66	90.4%	4.2%	66	90.4%	4.2%
Arizona	175	95.5%	1.6%	175	91.5%	2.1%	437	77.7%	2.6%	622	67.6%	3.5%
California	1,319	91.8%	0.8%	1,319	85.2%	1.0%	3,794	70.6%	0.9%	6,623	56.2%	0.9%
Colorado	172	89.4%	2.3%	172	85.9%	2.7%	467	77.9%	2.5%	810	64.5%	2.6%
Connecticut	54	92.5%	3.6%	54	86.9%	4.6%	168	71.1%	4.2%	314	56.4%	3.8%
District of Columbia	112	88.9%	3.0%	112	86.1%	3.3%	300	56.9%	3.9%	418	56.1%	3.3%
Delaware	13	90.7%	8.6%	13	81.6%	11.4%	42	69.0%	9.5%	49	66.2%	9.3%
Florida	1,055	93.1%	0.8%	1,055	85.7%	1.1%	3,124	68.5%	1.0%	5,175	52.8%	1.2%
Georgia	267	92.8%	1.6%	267	80.3%	2.4%	674	57.6%	2.6%	1,080	46.7%	2.3%
Hawaii	22	90.8%	6.1%	22	76.8%	8.9%	72	76.0%	5.4%	117	63.0%	6.2%
Iowa	42	93.0%	3.9%	42	88.2%	4.9%	162	79.3%	3.7%	363	52.3%	4.2%
Illinois	456	86.0%	1.6%	456	75.0%	2.0%	1,368	61.4%	1.6%	2,324	46.5%	1.6%
Indiana	246	93.6%	1.5%	246	86.1%	2.2%	846	69.1%	2.0%	1,117	52.0%	3.1%
Kansas	119	95.1%	1.9%	119	90.2%	2.7%	249	76.2%	3.4%	429	56.7%	3.5%
Kentucky	168	92.5%	2.0%	168	83.7%	2.8%	477	69.5%	2.5%	723	54.9%	2.9%
Louisiana	241	93.8%	1.5%	241	90.9%	1.8%	835	66.3%	2.1%	1,282	49.9%	2.4%
Massachusetts	246	88.3%	2.0%	246	79.3%	2.6%	723	66.2%	2.1%	1,303	54.3%	1.9%
Maryland	181	83.6%	2.7%	181	73.1%	3.3%	456	57.6%	2.8%	765	44.5%	2.7%
Michigan	346	92.1%	1.4%	346	83.7%	2.0%	985	69.2%	1.8%	1,498	51.6%	2.3%
Minnesota	234	92.0%	1.7%	234	84.0%	2.4%	720	73.0%	2.0%	1,354	61.1%	1.9%
Missouri	290	91.1%	1.7%	290	88.0%	1.9%	724	69.2%	2.3%	1,188	57.2%	2.1%
North Carolina	237	86.1%	2.2%	237	80.2%	2.6%	687	63.7%	2.3%	1,263	52.8%	2.1%
Nebraska	179	93.9%	1.8%	179	85.6%	2.6%	481	71.4%	2.6%	914	56.4%	2.3%
New Jersey	153	96.7%	1.4%	153	88.2%	2.6%	491	68.3%	2.6%	823	56.9%	2.5%
New Mexico	0	-	-	0	-	-	0	-	-	39	61.5%	7.7%
New York	1,070	87.1%	1.0%	1,070	77.4%	1.3%	2,754	59.9%	1.2%	4,305	47.4%	1.2%
Ohio	460	89.9%	1.4%	460	84.4%	1.7%	1,193	68.3%	1.8%	2,015	51.7%	1.8%
Oklahoma	121	95.9%	1.8%	121	88.6%	2.8%	346	75.6%	2.8%	583	67.4%	3.0%
Oregon	112	99.1%	0.9%	112	94.8%	2.1%	283	80.8%	2.9%	535	56.8%	3.4%
Pennsylvania	843	91.6%	1.0%	843	85.6%	1.2%	2,650	66.0%	1.1%	4,535	51.4%	1.1%
South Carolina	125	89.7%	2.7%	125	85.7%	3.1%	299	74.6%	3.0%	571	48.9%	3.3%
Tennessee	365	91.9%	1.4%	365	85.9%	1.8%	779	68.0%	2.3%	1,230	54.2%	2.3%

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 9.8a (Continued)**  
**Adjusted Graft Survival, Deceased Donor Liver Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Transplant Center State</b>												
Texas	982	92.2%	0.9%	982	86.4%	1.1%	2,801	71.4%	1.1%	4,398	55.7%	1.3%
Utah	115	90.5%	2.7%	115	83.5%	3.4%	324	77.1%	2.7%	516	59.9%	3.7%
Virginia	216	87.3%	2.2%	216	83.3%	2.5%	560	67.2%	2.5%	1,008	48.9%	2.4%
Washington	243	93.9%	1.5%	243	90.2%	1.9%	694	75.7%	2.0%	1,056	55.0%	3.0%
Wisconsin	255	91.0%	1.8%	255	85.2%	2.2%	798	73.5%	1.8%	1,331	57.0%	2.1%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.